Henghui Braiding Machine

PACKING

ISO ISO

ISO13485 ISO9001

www.chinabraiding.com

henghui@hhbzj.com

Packing ,Sealing packing.

- For packing braiding ,machine can use all kinds softer theads & yarn:
- Fiber glass,graphite, PTFE, aramid,Carbon Fibre,etc.





Pakcing Machine.

- Upside-down braiding and original vertical type.

  2 tracks runing way ,
  8/12/18/24/32/36 spindle

  3 tracks running way,
  18 spindle

  4 tracks running way,
  24/32/36 spindle

Description

- Braiding pitch change with stepping motor changing continuously variable.machine have meter counter and stop as setting ,machine have frequency converter ,speed adjust .oil system.
- Metal type spindle with aluminum oxide type ceramic eyelet,good for all kinds raw material ,keep rags less when braiding.bobbin size:70*192mm.
- Spring (0.8KG/1.1KG/1.5KG/2.0KG).Spring tension can make as demand.
- Different make size as model and raw material.
- Output 30-50m/h.

Packing braiding machine



Quotation

Date:10 Mar 2023

Model	Track	Unit price USD/SET	Mark & Shape
8-S2	2	7500	Square
12-S2	2	9000	Square
18-S3	3	11500	Square
24-S2	2	10500	Square
32-S2	2	12500	Square
36-S2	2	13500	Square
24-4S	4	12500	Square
32-4S	4	15500	Square
36-4S	4	19500	Square
18-3SH	3	19200	Square，high speed,output 1.5-2 times more.bobbin size 70*280mm
24-4SH	4	23800	
32-4SH	4	27600	
Full cover	/	1350	option item
Windng machine	/	1800	
Moulding machine	/	7500	

Moulding machine

Braiding machine

Winding machine